

TOUCHBOARD

Specification Sheet TouchBoard Mounting Systems Wall Mount Height Adjustable – Actuator Lift

Model:TBMS-WALL-HA-A

1. Frame Specifications

Dimensions	Width of Frame – 970mm Height of Frame – 1850mm Distance of Frame from Wall – 80mm
Material	Aluminum Extrusion Legs 2.5mm Steel Plate Support Brackets 3.0mm
Finish	Surface Treated Powder Coating Texture Finish to 2.0mm Thickness
Height Range	Up / Down – 300mm – 1300mm (Lower Screen Mounting Bolt)
Lifting Design	Single Linear Actuator

2. Actuator Parameters

Linear Actuator	Quantity 1 Load Capacity – 4000N Speed – 4mm/s Input – 24VDC Stroke Length – 500mm Retracted Length – 695mm Overload Protection – Integrated into Control Box Duty Cycle – 10% Max, 2 Min Continuous Use Material – Alloy Tube 2.5mm Operating Temp - +5deg - +40deg Certification - CE
Control Box	Output – 2 Output Voltage – 230 – 240 VAC Power – 50 Watts Certification - CE
Switch	2 Button – Up / Down Connection – Cat5 to Controller Certification – CE
Power Board	5 Way PDU Aluminum Rack Mount CE. Surge Protection Fitted. CE

TOUCHBOARD

3. Shipping Dimensions

Dimensions	TBMS-WALL-HA-A Box 1/4 – Brackets 740mm x 280mm x 125mm 16kg TBMS-WALL-HA-A Box 2/4 – Frame 1370mm x 340mm x 150mm 16kg TBMS-WALL-HA-A Box 3/4 – Extrusion 1900mm x 240mm x 150mm 20kg TBMS-WALL-HA-A Box 4/4 Actuator – 760mm x 220mm x 110mm 6kg
------------	---

4. Images



TOUCHBOARD